



श्री चित्रा तिरुनाल आयुर्विज्ञान एवं प्रौद्योगिकी संस्थान, जैवचिकित्सकीय प्रौद्योगिकी स्कंध
SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES AND TECHNOLOGY
BIO MEDICAL TECHNOLOGY WING

(एक राष्ट्रीय महत्व का संस्थान, विज्ञान एवं प्रौद्योगिकी विभाग, भारत सरकार)
(An Institution of National Importance, Dept. of Science and Technology, Govt. of India)

पूजप्पुरा, तिरुवनंतपुरम - 695012, केरल, भारत | Poojappura, Thiruvananthapuram - 695012, Kerala, India

टेलीफोन नं / Telephone No: 0471-2520228 / 2520428, फेक्स / Fax: 0471-2341814

वेबसाइट / Website: www.sctimst.ac.in, ईमेल / Email: bmtstp@sctimst.ac.in

Notice for procurement of ORIENTIA TSUTSUGAMUSHI DNA CONTROL , GENERAL # being proprietary Article under Rule 166 of GFR, 2017.

The Division/Department of Proj/8321/Tropical Fever Etiology of this institute intends to purchase ORIENTIA TSUTSUGAMUSHI DNA CONTROL having following detailed specifications.

Detailed Specifications :-

ORIENTIA TSUTSUGAMUSHI DNA CONTROL

Proprietary item: Make- Vircell, Spain

Item name: Amplirun Orientia tsutsugamushi DNA control

Catalog number: MBC106

Purified whole DNA of Orientia tsustugamushi (Kato strain)

CE (European conformity) certified*- For invitro NAAT

Format: Lyophilised DNA in thermosealed foil

Reconstituted solution should contain >10000 copies/ul

As per knowledge of Proj/8321/Tropical Fever Etiology division / department, above said article/equipment is only manufactured by M/s ... VIRCELL, SPAIN

.....and the said firm sells the same through its authorized agent/reseller ... KDH BIOMEDICALS PVT. LTD., MUMBAI

In case there is any other OEM for the above said article then they are requested to submit their proposal to the **Director, Sree Chitra Tirunal Institute for Medical Sciences and Technology** through email **bmtstp@sctimst.ac.in** hard copy latest by 29/1/25 @ 5 PM, failing which it will be presumed that there is no other firm who manufacture the required article/equipment and purchase will be processed and finalized from the available source.

Signature of HOD / SIC