



श्री चित्रा तिरुनाल आयुर्विज्ञान एवं प्रौद्योगिकी संस्थान, जैवचिकित्साकीय प्रौद्योगिकी स्कंध
SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES AND TECHNOLOGY
BIO MEDICAL TECHNOLOGY WING

(एक राष्ट्रीय महत्व का संस्थान, विज्ञान एवं प्रौद्योगिकी विभाग, भारत सरकार)
(An Institution of National Importance, Dept. of Science and Technology, Govt. of India)
पूजप्पुरा, तिरुवनंतपुरम - 695012, केरल, भारत | Poojappura, Thiruvananthapuram - 695012, Kerala, India
टेलीफोन नं / Telephone No: 0471-2520228 / 2520428, फैक्स / Fax: 0471-2341814
वेबसाइट / Website: www.sctimst.ac.in, ईमेल / Email: bmtstp@sctimst.ac.in

Notice for procurement of CASSETTE E-CA , GENERAL # being proprietary Article under Rule 166 of GFR, 2017.

The Division/Department of Proj/7220/Cost Of Animal & Feed of this institute intends to purchase CASSETTE E-CA having following detailed specifications.

Detailed Specifications : -

CASSETTE E-CA

OPTI CCA CASSETTES E-CA IN OPTI MEDICAL HAND HELD BLOOD GAS ANALYZER

As per knowledge of Proj/7220/Cost Of Animal & Feed division / department, above said article/equipment is only manufactured by M/s ... GENEAPS IN COCHIN
.....and the said firm sells the same through its
authorized agent/reseller GENEAPS, COCHIN

In case there is any other OEM for the above said article then they are requested to submit their proposal to the Director, Sree Chitra Tirunal Institute for Medical Sciences and Technology through email bmtstp@sctimst.ac.in hard copy latest by ... 05/12/2025 @ 5 PM, failing which it will be presumed that there is no other firm who manufacture the required article/equipment and purchase will be processed and finalized from the available source.

Signature of HOD / SIC



To,

GEN/L/810/25-26 14.10.2025

The Director,
SCTIMST
Thiruvananthapuram,

Sir,

Sub : Submission of Proprietary Certificate

We , Biowel Inc ,hereby confirm that

1. Cassette E- CA 25 per box
2. Bottle Gas low pressure Opti CCA – TS2

are proprietary items and no other items is suitable for this purpose .

Yours Sincerely,

For Geneaps In

Authorized Signatory

