

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	16-04-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	16-04-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Science And Technology
Department Name/विभाग का नाम	Department Of Science And Technology (dst)
Organisation Name/संगठन का नाम	Sree Chitra Tirunal Institute For Medical Sciences And Technology (sctimst)
Office Name/कार्यालय का नाम	Thiruvananthapuram
क्रेता ईमेल/Buyer Email	buycon14.sctimsts.kl@gembuyer.in
Total Quantity/कुल मात्रा	1
Item Category/मद केटेगरी	Laundry Type Washing Machines / Drying Machines (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days

Bid Details/बिड विवरण	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	600000
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	38

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Director, SCTIMST
Sree Chitra Tirunal Institute for Medical Sciences and Technology (SCTIMST), Thiruvananthapuram, Department of Science and Technology (DST), Ministry of Science and Technology
(Director, Sctimst)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the

Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Laundry Type Washing Machines / Drying Machines (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
TYPE	Type of Machine	Washer, Washer with Dryer / Extractor, Dryer
	Type of Usage of Machine	Domestic, Commercial, Industrial
	Type of Mounting	Portable with Castor Wheels, "Soft Mount (No Grouting Required)", "Rigid Mount (Grouting Required)", Soft Mount (Grouting Required)
	Drive Type	Belt Drive, Direct Drive, Variable Frequency Direct Drive
	Number of Tubs/Containers/Drums	Single Container, Integrated, Separate Containers for Washing and Extraction, Stacked Washer / Dryer Containers

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Container / Drum Position	Vertical, Horizontal, Inclined
	Type of Laundry Loading	Front Load, Top Load
	Laundry Processing	Manual, Semi Automatic, Fully Automatic
	Type of Heating	Electrical Heating, Steam Heating, Gas Heating, NA
	Steam Source	From integrated steam generator, From external steam boiler (Not inclusive in the scope of supply), NA
	Provided with coin / currency operated Timer	Yes, No
	Material of Top Panel	Plastic, Stainless Steel, Galvanized Steel, NA
	Material of side Panel	Plastic, Stainless Steel, Galvanized Steel, MS Powder Coated
WASHER	Washer System	Agitator Type, Pulsator / Impellor Type, Drum Type, NA for only 'Dryer', NA
	Rated capacity of Washer (in kg)	4 - 4.9, 5 - 5.9, 6 - 6.9, 7 - 7.9, 8 - 8.9, 9 - 9.9, 10 - 10.9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 25, 28, 30, 32, 35, 38, 40, 42, 45, 48, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 125, 130, 140, 150, 160, 170, 175, 180, 190, 200, 225, 250, 275, 300, 325, 350, NA
	Material of the Washer Drum	Plastic, Stainless Steel, Galvanised Steel, NA
	Provided with Automatic Detergent dispenser with liquid soap pump/dosing meter	YES, NO, NA
DRYER	Type of Dryer	Hydro Extractor (Spin Dryer), Spin Dryer with Heating, Tumble Dryer, NA
	Type of Tumble Dryer	Vent Type, Condenser Type (Vent-less), Heat Pump Type (Vent-less), NA
	Rated capacity of Dryer (in kg)	4 - 4.9, 5 - 5.9, 6 - 6.9, 7 - 7.9, 8 - 8.9, 9 - 9.9, 10 - 10.9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 35, 38, 40, 42, 45, 48, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 125, 130, 140, 150, 160, 170, 175, 180, 190, 200, 225, 250, 275, 300, 325, 350, NA
	Material of the Dryer Drum	Plastic, Stainless Steel, Galvanised Steel, NA
	Spin Speed Selection	Yes, No, NA
	Provided with Hot Air Blower	Yes, No, NA
GENERIC	Net Weight	Any applicable numeric value (kilogram)
POWER SUPPLY	Power Supply	Single Phase, 50 Hz, Three phase, 50 Hz
	Working Voltage	230 ± 10% V AC, 415 ± 10% V AC
	BEE Star Rating	NA, 1, 2, 3, 4, 5 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GUARANTEE / WARRANTY	Minimum Rated Life Cycles	4000, 5000, 6000, 7000, 8000, 9000, 10000, 12000, 15000, 20000, 25000, 30000, 35000, 40000, 50000
	Warranty on Equipment	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher (year)
	Warranty on Electric Motor (s)	1, 2, 3, 4, 5 Or higher (year)
CERTIFICATION	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove the Minimum Guaranteed Life Cycles, etc	Yes, No

Additional Specification Parameters - Laundry Type Washing Machines / Drying Machines (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Remarks	Bidders should submit declaration complying the detailed specifications mentioned in Buyer Added Bid Specific ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiju V S	695011,Sree Chitra Tirunal Institute For Medical Science and Technology,Medical College PO, Trivandrum	1	30

Special terms and conditions-Version:2 effective from 29-01-2025-Version:1 effective from 04-05-2020-Version:1 effective from 04-05-2020 for category Laundry Type Washing Machines / Drying Machines

1. The Scope of installation and Commissioning for Laundry Type Washing / Drying Machine (s), shall be as under:
 - I. In addition to General Terms and Conditions of the GeM, the following Special T&C shall be applicable for Laundry Type Washing / Drying Machines
 - i. SELER'S RESPONSIBILITIES:
 - ii. CONSIGNEE / USER'S RESPONSIBILITIES:
 - A. Providing necessary Space, Water source, Electricity, Drainage, wherever required.
 - B. Civil work for Foundation and Electrical earthing, wherever required.
 - C. Plumbing work for water inlet connection within 1.5 meters from the Foundation of the Machine, wherever required.

- D. Plumbing work for water drain line connection within 1.0 meter from the Foundation of the Machine, wherever required.
- E. Exhaust Piping (for Dryer), wherever required.
- F. Providing Consumables required for Washing / Drying.
- G. Providing Rinse Booster Pump (for Washer), if the water inlet pressure is less than the Minimum water inlet pressure specified in the contract.
- H. Providing Water softener (for Washer), if the water Hardness is more than the Maximum water hardness specified in the contract..
- I. Necessary approvals from regulatory authorities, if any, for installation of the Machine.

The Scope of installation and Commissioning for Laundry Type Washing / Drying Machine (s), shall be as under:

a. Inclusive in the Scope of Installation & Commissioning:

- 1. Foundation / Grouting is not required in case of Portable Type and Soft Mount Type Washing / Drying Machine(s).
- 2. The Supplier, on receipt of the order for Rigid Mount Washing / Drying Machine (s), shall immediately furnish the "Foundation Drawing" and the requirements of suitable earthing along with Electric circuit diagram to the consignee. The consignee shall make necessary arrangements for the civil work required for foundation and earthing as per the drawings received.
- 3. Mounting / Fitting of the Machine, with necessary alignment work, on the already made foundation, wherever required.
- 4. Suitable Electrical Wiring upto 2 meters length between the Machine and Power Socket
- 5. Suitable water inlet Piping between the Machine and the water source upto 2 nos. of water inlet pipes of length 1.5 meters each.
- 6. Providing 1 no. of suitable Water outlet Pipe upto 1.0 meter length.
- 7. Trial Run of the Machine for 1 Cycle upto 25 kg Rated Capacity and 2 Cycles above 25kg Rated Capacity.
- 8. Providing Training to the buyer's representatives after successful installation & Commissioning of the equipment, during Trial Run.

2. The Scope of installation and Commissioning for Laundry Type Washing / Drying Machine (s), shall be as under:

1. In addition to General Terms and Conditions of the GeM, the following Special T&C shall be applicable for "Laundry Type Washing / Drying Machines

1. SELER'S RESPONSIBILITIES:

2. CONSIGNEE / USER'S RESPONSIBILITIES:

- 1. Providing necessary Space, Water source, Electricity, Drainage, wherever required.
- 2. Civil work for Foundation and Electrical earthing, wherever required.
- 3. Plumbing work for water inlet connection within 1.5 meters from the Foundation of the Machine, wherever required.
- 4. Plumbing work for water drain line connection within 1.0 meter from the Foundation of the Machine, wherever required.
- 5. Exhaust Piping (for Dryer), wherever required.
- 6. Providing Consumables required for Washing / Drying.
- 7. Providing Rinse Booster Pump (for Washer), if the water inlet pressure is less than the Minimum water inlet pressure specified in the contract.
- 8. Providing Water softener (for Washer), if the water Hardness is more than the Maximum water hardness specified in the contract..

3. The Scope of installation and Commissioning for Laundry Type Washing / Drying Machine (s), shall be as under:

1. Inclusive in the Scope of Installation & Commissioning:

- 1. Foundation / Grouting is not required in case of Portable Type and Soft Mount Type Washing / Drying Machine(s).
- 2. The Supplier, on receipt of the order for Rigid Mount Washing / Drying Machine (s), shall immediately furnish the "Foundation Drawing" and the requirements of suitable earthing along with Electric circuit diagram to the consignee. The consignee shall make necessary arrangements for the civil work required for foundation and earthing as per the drawings received.
- 3. Mounting / Fitting of the Machine, with necessary alignment work, on the already made foundation, wherever required.
- 4. Suitable Electrical Wiring upto 2 meters length between the Machine and Power Socket
- 5. Suitable water inlet Piping between the Machine and the water source upto 2 nos. of water inlet pipes of length 1.5 meters each.
- 6. Providing 1 no. of suitable Water outlet Pipe upto 1.0 meter length.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 7 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

4. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Buyer Added text based ATC clauses

A. Bidders are advised to quote prices as per technical specification and additional specification.

B. Bidders should submit the Manufacturer's Authorization in attached format- A (Buyer uploaded ATC Document)

C. Liquidated Damages:

If the supplier fails to deliver or install/commission any or all the goods or fails to perform the services within the time frame(s) incorporated in the Purchase Order, the Purchaser shall, without prejudice to other rights and remedies available to the Purchaser under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods, installation, commissioning and/or services until actual delivery or performance subject to a maximum of 10 % of the contract price. Once the maximum is reached Purchaser may consider termination of the contract.

If any delay by the supplier is maintained its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following sanctions:

a. Imposition of liquidated damages,

- b. Forfeiture of its Performance Security and
- c. Termination of the contract for default

D. SCTIMST reserves the right to ask for a free demonstration of the quoted equipment/ items after giving reasonable time to the bidder at a pre-determined place acceptable to the purchaser or at a site (in case of non-portable and heavy equipment) for evaluating the technical compatibility as per the bidding document specifications, professionalism and quality of work of the bidder for technically qualifying for opening the Price Bid. SCTIMST reserves the right to accept/ reject the bid based on the product/ site evaluation as stated above.

DETAILED SPECIFICATIONS OF HYDRO EXTRACTOR:

- 1. Direct drive self balancing hydro extractor for quick, energy efficient extraction of water from linen.**
- 2. Rated capacity of machine shall be 30 KG. dry weight capacity per cycle.**
- 3. Motor controlled through Heavy duty Springs.**
- 4. D.C. injected brake controlled through time delay relay.**
- 5. Foundation: Provided Along with the machine with Bolts.**
- 6. Power rating of less than 4kW.**
- 7. Stainless Steel Inner and outer Drum. Inner drum 2.5 mm thick. Frame MS Powder Coated.**
- 8. Machine provided with a door limit switch for safe operation.**
- 9. Motor shall have the required over load and short circuit protection.**
- 10. The scope involves the supply, installation, testing and commissioning including the civil works.**

7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

8. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

9. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

10. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

11. Financial Criteria

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

12. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Director, SCTIMST
payable at
Thiruvananthapuram

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

13. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Director, SCTIMST

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

14. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---