श्री चित्रा तिरुनाल आयुर्विज्ञान एवं प्रौद्योगिकी संस्थान, त्रिवेंद्रम, जैवचिकित्सकीय प्रौद्योगिकी स्कंध पूजप्पुरा, तिरुवनन्तपुरम - 695 012, केरल, भारत

SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES AND TECHNOLOGY, TRIVANDRUM
BIO MEDICAL TECHNOLOGY WING

POOJAPPURA, THIRUVANANTHAPURAM - 695 012, KERALA, INDIA

(एक राष्ट्रीय महत्व का संस्थान, विज्ञान एवं प्रौद्योगिकी विभाग, भारत सरकार) (An Institution of National Importance, Department of Science and Technology, Government of India)

टेलीकॉन नं./Telephone No.: 0471-2340801/ 2520450 किक्स/Fax: 0471-2341814

ई-मेल/E-mail: sct@sctimst.ac.in वेबसाइट/Website: www.sctimst.ac.in

-ISOTONAC -3	Article under Rule 166 of
	Afticle under Nate 155 51
fDIMT	of this
eISOTONAC -3	72
ng following detailed specificat	ions:-
TOD MULO	N VODEN VETVERINRY
	31
rticle/equipment is only manufa	actured by M/s. – NIHON
through its authorized agent/report PVT. LTD., 53/333A1, A. VYTILLA, ERNAKULAM, I	eseller BIONS ARDEN IVY COURT, KERALA -682019
OEM for the above said article the Director, Sree Chitra Tirus brokstp@sct	then they are requested to nal Institute For Medical institute will be presumed red article/equipment and
	-being proprietary fDIMT ISOTONAC -3 Ing following detailed specificate ISOTONAC -3 FOR NIHO